

Contents
and
Subject Index

Pflanzenschutz-Nachrichten

»*Bayer*«

Volume 1966



Digitized by the Internet Archive
in 2025

Contents

Volume 1966

	Page
Ayad, N.: The National Campaign Against Bilharziasis in the United Arab Republic	I (Supplement)
Bartels, W., and Cramer, H. H.: Side-effects of plant diseases, plant pests and weeds on the health of man and animals and on the quality of harvested products	125
Farooq, M., Hairston, N. G., and Samaan, S. A.: Preliminary Report on the Effect of Area-Wide Snail Control on the Incidence of Bilharziasis in Egypt	41
Gönnert, R., and Webbe, G.: Molluscicides in the control of bilharziasis and new evidence of the value of this approach	35
Jarczyk, H. J.: The influence of esterases in insects on the degradation of organo- phosphates of the ®E 605 series	1
Kolbe, W.: Studies on the control of aphids and spider mites on hops	189
Kolbe, W.: Studies on the control of resistant spider mite strains on hops	243
Stiemerling, K.: Application of ®Disyston in seed potato production	49
Stiemerling, K.: Application of ®Disyston on beets (1962 to 1964)	69

Subject Index 1966

A

- Absidia corymbifera* 136
 Acaricidal activity 230—231
Achillea millefolium 151, 169
Aconitum napellus 169
 © Acricid 201
Actinomyces israeli 138
Actinomyces scabies 138
Actinomyces spp. 138, 143
Aelia 160
Aethusa cynapium 169
 Aflatoxins 130—132
Agave lechugilla 155
Agrostemma githago 150, 165, 161
Agrotis segetum 4, 8, 11, 14, 15, 18, 22
Alectorolophus major 166
Aleurisma species 136
Allescheria boydii 136
Allium spp. 167, 169
Allium vineale 161
Alternaria longipes 142
Alternaria porri 142
Alternaria solani 142
Alternaria spp. 142
Alternaria tenuis 142
Anemone spp. 169
Anethum graveolens 173
Anguina agrostis 146
Anthemis spp. 169
Antheraea pernyi 4, 7, 9—11, 13—16, 18, 20—22, 27
 Antibiotic-producing organisms 142—143
 © Antracol 246, 262—265, 267, 268, 271—275
 © Antracol S 231, 246, 267, 268, 271—275
 Aphicidal action of pre-emergence and post-emergence application of granules 105—107
 Aphicidal effect of protective and eradivative applications of liquid insecticides 107—111
Aphididae 190
 Aphid populations on beets, build-up 96—104
 Aphids (on hops) 189—235

- Aphids on beets, treatments for control of 96—111
Aphis leguminosae 144
Aplopappus heterophyllus 156
 Application of Disyston granules 73—77
 Application of Disyston in bands at sowing 113
 Application of liquid systemic insecticides 77—80, 86—87
 © Aqualin 41
Artemisia absinthium 169
Asclepias spp. 156
Astragalus miser 153
Astragalus miser var. *serotinus* 153
Astragalus miser var. *oblongifolius* 153
Aspergillus chevalieri 132
Aspergillus clavatus 132, 133
Aspergillus flavus 130, 131, 133, 138
Aspergillus fumigatus 138, 139
Aspergillus nidulans 138
Aspergillus niger 138
Aspergillus oryzae var. *microsporus* 132
Aspergillus parasiticus 131
Aspergillus spp. 136, 142

B

- Bacillus subtilis* 132
 Band application of Disyston Granular 84
 Band application (planting hole application) 56—59
 Band sprinkling (protective band sprinkling) 78, 79, 86, 111
 Barley yellow dwarf virus 157
Basidiobolus species 136
 © Bayluscide 35, 36, 41, 43, 45, 48
Beauveria bassiana 137
 Beet flies, effect of granule applications at sowing on 88—89
 Beet flies, effect of liquid systemic insecticides applied at sowing against 94—95
 Beet flies, effect of post-emergence granule application on 89—94

Beet flies, effect of post-emergence applications of liquid systemic insecticides against 95—96
 Beet fly, incidence of 87—88
 Beet fly maggots, treatments against 87—96
 Beets, application of Disyston on 69—124
 Beet tolerance, influence of treatments on 81—87
 BHC dust 190
 Bilharziasis 35, 36, 37, 39, 41
 Biochemical properties of enzymes 14—18
 Bitter rots 141
 Black rust 127—128
 Blanket spray application of Metasystox(i) + R 111, 114
Bombyx mori 4
Botryodiplodia theobromae 173, 174

C

Calandra granaria 145
Calandra oryzae 145
Caltha palustris 169
Capnodium salicinum 190
Carpocapsa pomonella 167
Carpocoris 160
Carthamus lanatus 161
Cephalaria syriaca 161
Cephalosporium species 136, 143
Ceratitis anonae 173
Ceratitis capitata 144
Cercospora apii 136
Cercospora medicaginis 166
 Cereals, diseases of 157—159
 Cereals, insect pests of 159—160, 165
Chaerophyllum temulentum 153
Chaerophyllum temulum 153
Chaetomium kunzeanum 149
Chailletia cymosum 154
Chilo simplex (rice stem borer) 25
 ®Chlorthion 5
Chrysosporium species 136
Cicuta spp. 156
Cicuta virosa 169
Cladosporium carpophilum 141
Cladosporium fulvum 137
Cladosporium herbarum 129, 137
Cladosporium species 136

Cladosporium trichoides 136
Clasterosporium carpophilum 141
Claviceps purpurea 126, 143
Coccinella species 193
 Colchicine 146
Colchicum autumnale 146, 155, 169
Colletotrichum lindemuthianum 167
Colletotrichum papayae 173, 174
 Combined application of Disyston with seed 113
Conium maculatum 169
Contarinia tritici 160
Coremiella cuboidea 136
Coronilla varia 162
Coronopus didymus 169
Corynebacterium sepedonicum 165
Cossus cossus 145
Crotalaria 148, 156
Crotalaria spectabilis 148
Crotalaria spp. 156
 ®Cupravit (Ob 21) 232, 265
Curvularia geniculata 136
Curvularia lunata 136

D

2,4-D 152
Datura stramonium 156
 ®DDT 2, 190
 Dedevap 246, 259
 Degradation of organophosphates of the E 605 series 1—34
Delphinium consolida 162
Delphinium spp. 156
 Derris preparations 189
 Diazoxon 3
Dichapelatum cymosum 154
Dichapelatum species 154
 Dimefox 203
 Dimethoate 246, 257, 259, 260, 268, 270, 273
Diplodia natalensis 173
 ®Dipterex S. P. 87, 96
 Disulphoton 203
 Disyston active material 203
 ®Disyston, application in seed potato production 49—68
 Disyston, application on beets 69—124
 Disyston Emulsifiable Concentrate 198

Disyston Granular 49—124
 Disyston Granular, experiments on
 hops 204—235, 265, 267, 273—275
 Disyston Granular, properties of
 52—55
 Disyston-sulphoxide 60—124
 Disyston treatment, effects on hop
 yields 228—229
Ditylenchus destructor 166
 DN dust 195
Doralis fabae 96—111
Doralis frangulae 62—65
Doralis pomi 198
Doralis rhamni 62—65
Doralis species 66
Drosophila melanogaster 148
Drymaria arenarioides 156
Dysdercus intermedius 4, 11

E

- ®E 600 19
- ®E 605 18—20, 24, 190, 196, 197,
 199—203, 230, 243, 260, 273
- E 605 forte 243, 246, 250, 252, 268,
 270, 272, 275
- E 605 series, degradation 1—29
- Emmonsia crescens* 137
- Endoconidium temulentum* 129, 149
- Entomophthora coronata* 137
- Enzymes, biochemical properties
 14—18
- Enzymes, recovery of 6—14
- Enzyme tests 4—6
- Equisetum hiemale* 152
- Equisetum palustre* 152
- Equisetum silvaticum* 152
- Equisetum* spp. 152, 169
- ®Eradex 246—249, 253, 269
- Eradicative band spraying 79—80,
 86—87, 107 ff., 114
- Ergot 126—127
- Eriosoma lanigerum* 198
- ®Euparen 246, 262—265, 271—275
- Eupatorium urticae* 155
- Euphorbia cyparissias* 151
- Euphorbia* spp. 169
- Euproctis chrysorrhoea* 144
- Eurygaster integriceps* 160
- Eurygaster* species 160

F

- Festuca rubra* var. *commutata* 146
- ®Folimat 246, 257, 259, 268, 270,
 272—275
- ®Folithion 5, 9, 11—15, 17—19, 22,
 25—27
- Forage crops 166—167
- Fribulus* sp. 155
- Fruit 167
- Fusarium avenaceum* 142
- Fusarium bulbigenum* var. *niveum*
 139, 140
- Fusarium culmorum* 142, 158
- Fusarium graminearum* 129, 134, 139
- Fusarium* infection 158
- Fusarium lycopersici* 143
- Fusarium oxysporum* 140, 143
- Fusarium poae* 140
- Fusarium* root rot 171
- Fusarium solani* 139, 140, 143
- Fusarium* species 136, 137, 140
- Fusarium* spp. 142, 173, 174
- Fusarium sporotrichiella* 140
- Fusarium sporotrichioides* 134, 140
- Fusarium vasinfectum* 143
- Fusidium terricola* 136

G

- Geotrichum candidum* 140
- Geotrichum* species 136
- Gibberella fujikuroi* 136, 139, 143
- Gibberella saubinetii* 129, 134, 139
- Glenospora graphii* 136
- Gloeosporium musarum* 173
- Gloeosporium papayae* 173
- Gloeosporium psidii* 173, 174
- Gloeosporium* species 141, 174
- Glottidium vesicarium* 156
- Granule application methods 73—77
- Granule application on beets 70
- Granule applications at sowing
 81—85
- Granule applicators 50, 51
- ®Gusathion 243, 246—249, 269
- ®Gusathion A 243, 244, 246—256,
 260—263, 265—275
- ®Gusathion H 199, 231, 244, 246, 267,
 268, 271—275

H

Halogeton glomerulatus 155
Helenium spp. 156
Heliotropium 148
Heliotropium europaeum 148
Heliotropium lasiocarpum 148
Helleborus spp. 170
Hemispora stellata 136
Heterodera goettingiana 172
Hops 189—275
Hormodendrum pedrosoi 136
Houseflies 3, 4, 14, 18, 25, 29
Hypericum perforatum 154
Hypericum species 155, 170
Hypericum spp. 170
Hymenoxys spp. 156
Hyoscyamus niger 170

I

Indiella species 136
Insect pests of plants 141—146
® Isochlorthion 5

K

Kelthane 2, 201

L

Lathyrus cicera 149
Lathyrus latifolium 149
Lathyrus odoratus 149
Lathyrus sativus 149
Lathyrus species 149
Leafroll virus disease 49
Lepidopterous caterpillars 4, 6, 10,
16, 19, 23, 24, 27, 29
Lepidopterous species, caterpillars
of 4, 6, 10, 16, 19, 23, 24, 27, 29
Leucoptera coffeella 198
Levisticum officinale 173
Leptosphaeria senegalensis 136
Leptosphaerulina briosiana 137
Lime-sulphur mixtures 195
Lippia sp. 155
Lolium linicolum 149
Lolium perenne 137
Lolium remotum 149
Lolium species 152

Lolium temulentum 129, 149, 162,
165
Lupinus spp. 156
Lymantria dispar 4, 8, 11, 14, 15, 22

M

Madurella species 136
Malaoxon 3
Malathion 2
Mamestra brassicae 4, 10, 11, 12,
14, 15, 17, 18, 27
® Matacil 246, 255—257, 270
MCPA 152
MCPB 152
Melampyrum arvense 162
Melampyrum spp. 170
Melilotus albus 135
Melilotus officinalis 135, 163
Meloidogyne spp. 172
Mentha piperita 172
Mentha spp. 170
Mercurialis annua 151
Mercurialis spp. 170
® Mesurol 201, 231, 246, 250—260,
265, 268, 270—275
® Metasystox 49, 197—199, 201, 202,
243, 244, 268, 273
® Metasystox(i) 49, 61, 62, 73, 77,
94—96, 99, 100, 102, 103, 107—110,
114, 115, 122, 123, 124
® Metasystox R 49, 73, 94—96, 99,
102, 107, 114, 115, 122, 123, 124,
197, 199, 246, 249, 250, 252, 269,
273, 275
Metatetranychus ulmi 200, 244
Methoxychlor 190
Methyl-Folidol 5
Mold fungus infections occurring
in man and animals 136—137
® Molucid 41
Molluscicides 35—39
Mollusciciding operations 41—48
Monosporium apiospermum 136
® Morestan 246—249, 269
Mortierella sp. 137
Mucor sp. 132
Mucor species 136
Musca domestica 4, 24, 131
Mycosphaerella tulasnei 129
Myzodes persicae 62—66, 96—111,
202

N

- Neurospora sitophila* 136
- Nicotine preparations 189, 195
- Nicotine sulphate 190
- Nolina texana* 155
- Notholaena sinuata* var. *crenata* 156

O

- Ophiobolus graminis* 159
- Organophosphate insecticides, enzymatic degrading 1—29
- Organophosphates, degradation of 1—29
- Oscinella frit* 160
- Oxalis* sp. 155, 170
- Oxytenia acerosa* 156
- Oxytropis* spp. 156

P

- Paecilomyces* species 137
- Paecilomyces varieti* 133
- Palomena* 160
- Paraaxon 3, 14, 25
- Parathion 2, 190, 196
- Pegomyia* spp. 87—96
- Pelliculoides ventricosus* 141
- Penicillium citrinum* 132
- Penicillium islandicum* 132
- Penicillium puberulum* 131, 134
- Penicillium purpurogenum* 133
- Penicillium rubrum* 130, 133
- Penicillium spinulosum* 136
- Penicillium* spp. 143
- Penicillium urticae* 132
- Peronospora (downy mildew) control 231, 232, 233
- Peronospora (downy mildew), spray application 263—265, 267, 273—275
- Pestalotia psidii* 173, 174
- Pestalotia sapotae* 173, 174
- Petroleum 195
- Peyronellaea* sp. 136
- Phaseolus* 167
- Phialea temulenta* 149
- Phialophora jeanselmei* 136
- Phoma psidii* 173, 174
- Phorodon humuli* 189, 190, 203, 204, 253

- Phytophthora* (blight) infection 204
- Piedraia hortai* 136
- Pieris brassicae* 145
- Pine processionary caterpillar 144
- Pinguicula vulgaris* 170
- Pithomyces chartarum* 134
- Placement of ®Disyston in the seed furrow 113
- Plant diseases 126—141
- Planting hole (band application) of Disyston Granular 56—59
- Plants: medicinal, spice and aromatic plants 172—173
- Poisoning due to *Lolium temulentum* in wheat 129, 149, 152
- Polygonum aviculare* 170
- Polygonum convolvulus* 154
- Polythrincium trifolii* 135
- Post-emergence granule application 85
- Potato planter, automatic 52
- Potato planter, semi-automatic 55
- Potato rot nematode 166
- Potentilla erecta* 170
- Precision drilling 76
- Prodenia litura* 4, 11, 14
- Protective band spraying 78, 86, 94, 107 ff.
- Prunus* species 190
- Prunus spinosa* 190
- Pseudomonas phaseolicola* 141, 171
- Pseudomonas aeruginosa* 140
- Pseudopeziza medicaginis* 137
- Pteridium aquilinum* 155, 170
- Pteridium latiusculum* 155
- Pucciniaceae 127
- Puccinia coronata* 158
- Puccinia dispersa* 158
- Puccinia glumarum* 158
- Puccinia graminis* 127
- Puccinia graminis* var. *tritici* 157
- Puccinia hordei* 158
- Puccinia menthae* 172
- Puccinia recondita* 128
- Puccinia striiformis* 158
- Pyrenochaeta romeroi* 136
- Pyrethrum 189, 190, 195
- Pyrrhocoridae 4

Q

- Quassia 195

R

- Ranunculus acer* 151
- Ranunculus arvensis* 163
- Ranunculus* spp. 170
- Raphanus raphanistrum* 154, 163, 170
- Resistance 2
- Resistance, spider mites 198—202, 243—275
- Rhagoletis cerasi* 144
- Rhamnus* spp. 170
- Rhizoctonia leguminicola* 135
- Rhizopus* sp. 132
- Rhizopus* species 136
- Rice leafhoppers 4
- Rotenon 190, 195
- Rumex acetosa* 151, 155
- Rumex* spp. 170
- Rust fungi 127—128

S

- Salvia* spp. 171
- Sarcobatus vermiculatus* 155
- Schistosoma haematobium* 38, 41—46, 48
- Schistosoma mansoni* 37—38, 41—45, 47—48
- Sclerotinia fructigena* 167
- Sclerotinia secalicola* 149
- Sclerotinia temulenta* 149
- Scopulariopsis* species 136
- Secale cornutum* 126
- Seed material, treatment with systemic insecticides (beets) 69
- Seed potato production 49—68
- Senecio jacobaea* 147
- Senecio latifolius* 147
- Senecio* species 147, 148
- Senecio vulgaris* 147
- Septoria nodorum* 158
- Septoria* sp. 158
- Side-dressing of Disyston 113, 114
- Side-effects of plant diseases, plant pests and weeds 125—174
- Sinapsis arvensis* 154, 163
- Sisymbrium officinale* 171
- Sitodiplosis mosellana* 160
- Sitophilus oryzae* 145

- Sium erectum* 171
- Sium latifolium* 171
- Smuts 128—129
- Snail control 35—39, 41—48
- Sodium pentachlorophenate 42, 43, 45, 48
- Solanum nigrum* 152
- ®Solbar 195
- Sorghum halepense* 155
- Sphacelotheca cruenta* 128
- Sphacelotheca destruens* 128
- Sphacelotheca sorghi* 128
- Sphacelotheca reiliana* 128
- Spider mite resistance 198—202, 243—275
- Spider mite strains, resistant, on hops 243—275
- Spider mites on hops 189—275
- Sporothericium* species 129
- Stachybotrys atra* 134
- Streptomyces* sp. 132
- Streptomyces* spp. 143
- Stromatinia temulenta* 149
- Sugar beets 69—124
- Sulphur sprays 190
- Syrphus* species 193
- ®Systox 49, 69, 197—199, 203, 222, 243, 244, 246, 248—252, 260, 273

T

- Tanacetum vulgare* 171
- TDE 190
- ®Tedion 201
- TEPP 190
- Tetradymia canescens* 155
- Tetradymia glabrata* 155
- Tetranychidae* 196
- Tetranychus humuli* 196
- Tetranychus molestissimus* 141
- Tetranychus telarius* 144
- Tetranychus urticae* 189, 196, 200, 203, 204
- Thaumetopoea pityocampa* 144
- Thaumetopoea* sp. 144
- Thlaspi arvense* 164, 171
- Thririthrum inscripta* 173
- Tilletiaceae 129
- Top-dressing 85, 89—94, 99, 113, 115, 122

Toxaphene 190
Trichothecium roseum 141, 143
Trifolium spp. 155
Triglochin maritimum 155
Triglochin palustre 155
Trombicula autumnalis 141
Tropical plants 173—174
Tyroglyphus farinae 141
Tyroglyphus species 141
Tyrolichus casei 141

U

®Unden 246, 250
Uredospores 127
Uromyces betae 128
Uromyces phaseoli var. *typica* 172
Urtica dioica 191
Ustilaginales 128, 158
Ustilago bullata 128
Ustilago grandis 128
Ustilago hordei 143
Ustilago longissima 128
Ustilago maydis 128, 129
Ustilago perennans 128
Ustilago sp. 143
Ustilago zeae 128, 143

V

Vectors, control of 49, 60
Vegetables 167—172
Venturia inaequalis 141
Veratrum album 155

Veratrum californicum 155
Veratrum viride 155
Verticillium albo-atrum 204
Verticillium species 136
Vicia faba 222
Volutella cinerescens 136

W

Water as carrier of systemic insecticides 60—66
Weeds 146—156
Weeds in cereals 161—165
Wettable Sulphur "Bayer" 246, 252, 254—256, 270

X

Xanthium spp. 156
Xanthomonas campestris 141
Xanthomonas juglandis 141
Xanthomonas spp. 173

Y

Yellows, incidence of 111—113, 124
Yields, effects of Disyston treatment on (hops) 228—229
Yields, influence of treatments on (beets) 113—120

Z

Zygadenus spp. 156

